

EXOCARB [®] AERO DLC
High Speed Carbide End Mills for Aluminum Alloy

List 2974: 3 Flute, Stub Length, Coolant-Through

Work Material	Aluminum Alloy	
Depth of Cut	aa ar 0.4D 1D aa aa	
Mill Dia.	Speed RPM	Feed in/min
20	≤33000	≤1010 IPM
25	≤33000	≤1280 IPM

List 2843: 3 Flute, Long Length

Work Material Cutting Speed	Aluminum Alloy 3,280 SFM - 9,840 SFM	
Depth of Cut	$\begin{array}{c cccc} 1/2 & \leq 1.77 & \leq 0\\ \hline 5/8 & \leq 1.77 & \leq 0 \end{array}$	àr <u>.006</u> <u>.008</u> <u>.012</u> <u>.012</u> ar
Mill Dia.	Speed RPM	Feed in/min
1/2	≤14000	≤157 IPM
5/8	≤14000	≤197 IPM
3/4	≤14000	≤236 IPM
1	≤14000	≤236 IPM

List 2943: 3 Flute, Long Length

Work Material	Aluminum Alloy	
Cutting Speed	3,280 SFM - 9,840 SFM	
Depth of Cut	Dia ∂a ∂i 12 ≤1.77 ≤ 0.0 16 ≤1.77 ≤ 0.0 20 ≤1.77 ≤ 0.0 25 ≤1.77 ≤ 0.0	06 aa
Mill Dia.	Speed RPM	Feed in/min
12	≤14000	≤157 IPM
16	≤14000	≤197 IPM
20	≤14000	≤236 IPM
25	≤14000	≤236 IPM

