



List 4513: Ball Nose, Regular Length, 2 Flute, Sphere Type

Profiling

Hardness	<20 HRC		20-30 HRC		30-38 HRC		38-45 HRC		45-55 HRC		55-60 HRC	
Work Material	Mild Steels Carbon Steels Cast Iron		Alloy Steels Tool Tool		Hardened Steels Pre-hardened Steels		Stainless Steels Pre-hardened Steels		Hardened Steels		Hardened Steels	
Cutting Speed	720 SFM		640 SFM		580 SFM		470 SFM		520 SFM		440 SFM	
Depth of Cut	$a_a=0.05D$ $a_r=0.1D$									$a_a=0.02D$ $a_r=0.1D$		
Mill Dia.	Speed RPM	Feed in/min	Speed RPM	Feed in/min	Speed RPM	Feed in/min				Speed RPM	Feed in/min	Speed RPM
1	25,000	26.5	25,000	26.5	25,000	26.5	25,000	26.5	25,000	26.5	25,000	23.3
2	25,000	70.3	24,000	53.1	24,000	53.1	23,500	51.2	24,000	53.1	22,000	47.2
4	17,500	98.4	15,500	70.9	14,000	61.0	11,500	49.2	12,500	53.1	11,000	45.3
5	14,000	91.5	12,400	71.9	11,250	64.0	10,900	60.0	10,100	56.1	8,550	48.3
6	11,500	84.6	10,500	72.8	9,500	66.9	7,950	55.1	8,450	59.1	7,400	51.2
8	8,750	70.9	7,950	55.1	7,150	49.2	5,950	41.3	6,350	43.3	5,550	39.2
10	7,000	59.1	6,350	43.3	5,700	39.4	4,750	33.7	5,050	35.6	4,450	31.5

1. Use a rigid and precise machine and holder.
2. Use a suitable cutting fluid with high smoke retardant.

