





List HP400

Side Milling (Fractional)

Hardness	-		<20 HRC		20-30 HRC		30-38 HRC		38-45 HRC	
Work Material	Cast Iron		Medium Steels Mild Steels		Alloy Steels Tool Steels Ti Alloys (Annealed)		Hardened Steels Pre-hardened Steels		Stainless Steels Hardened Steels	
Cutting Speed	320-460 SFM		262-393 SFM		230-328 SFM		164-262 SFM		115-213 SFM	
Depth of Cut	$a_a=1.5D$ $a_r=0.4D$ 					$a_a=1.5D$ $a_r=0.3D$				
Mill Dia.	Speed RPM	Feed in/min	Speed RPM	Feed in/min	Speed RPM	Feed in/min	Speed RPM	Feed in/min	Speed RPM	Feed in/min
1/4	6,350	29.9	5,300	25.2	4,500	14.2	3,450	11.0	2,650	8.3
5/16	4,750	29.9	4,000	25.2	3,400	16.1	2,600	12.2	2,000	9.4
3/8	3,800	29.9	3,200	25.2	2,700	16.9	2,050	13.0	1,600	10.2
1/2	3,200	30.3	2,650	25.2	2,250	17.7	1,700	13.4	1,350	10.6
5/8	2,400	30.3	2,000	25.2	1,700	18.9	1,300	14.2	1,000	11.0
3/4	1,900	29.9	1,600	24.0	1,350	18.5	1,050	13.8	800	10.2
1	1,500	29.9	1,150	24.0	1,000	18.5	800	13.8	600	10.2

Side Milling (Metric)

Hardness	-		<20 HRC		20-30 HRC		30-38 HRC		38-45 HRC	
Work Material	Cast Iron		Medium Steels Mild Steels		Alloy Steels Tool Steels Ti Alloys (Annealed)		Hardened Steels Pre-hardened Steels		Stainless Steels Hardened Steels	
Cutting Speed	320-460 SFM		262-393 SFM		230-328 SFM		164-262 SFM		115-213 SFM	
Depth of Cut	$a_a=1.5D$ $a_r=0.4D$ 					$a_a=1.5D$ $a_r=0.3D$				
Mill Dia.	Speed RPM	Feed in/min	Speed RPM	Feed in/min	Speed RPM	Feed in/min	Speed RPM	Feed in/min	Speed RPM	Feed in/min
3	12,610	25.3	10,590	21.3	9,020	10.7	6,890	8.1	5,300	6.3
4	9,460	25.3	7,940	21.3	6,770	10.7	5,170	8.1	3,980	6.3
5	7,570	28.3	6,360	23.8	5,410	13.3	4,130	10.2	3,180	7.8
6	6,310	28.3	5,300	23.8	4,510	13.3	3,440	10.2	2,650	7.8
8	4,730	29.8	3,970	25.0	3,380	16.0	2,580	12.2	1,990	9.4
10	3,780	29.8	3,180	25.0	2,710	17.9	2,070	13.9	1,590	10.6
12	3,150	29.8	2,650	25.0	2,260	17.1	1,720	13.0	1,330	10.6
16	2,370	29.8	1,990	25.0	1,690	19.2	1,290	14.2	990	10.6
20	1,890	29.8	1,590	25.0	1,350	19.2	1,030	14.2	800	10.6
25	1,510	29.8	1,270	25.0	1,080	19.2	830	14.2	640	10.6

ABOUT OSG

DRILLING

THREADING

MILLING

HOLDERS

INDEX





Slotting (Fractional)

Hardness	-		<20 HRC		20-30 HRC		30-38 HRC		38-45 HRC	
Work Material	Cast Iron		Medium Steels Mild Steels		Alloy Steels Tool Steels Ti Alloys (Annealed)		Hardened Steels Pre-hardened Steels		Stainless Steels Hardened Steels	
Cutting Speed	262-393 SFM		230-328 SFM		180-279 SFM		130-230 SFM		95-195 SFM	
Depth of Cut	$da=0.75D$					$da=0.5D$				
Mill Dia.	Speed RPM	Feed in/min	Speed RPM	Feed in/min	Speed RPM	Feed in/min	Speed RPM	Feed in/min	Speed RPM	Feed in/min
1/4	5,300	25.2	4,500	21.3	3,700	11.8	2,900	9.1	2,400	7.5
5/16	4,000	25.2	3,400	21.3	2,800	13.4	2,200	10.2	1,800	8.7
3/8	3,200	25.2	2,700	21.3	2,250	14.2	1,750	11	1,450	9.1
1/2	2,650	25.2	2,250	21.3	1,850	14.6	1,450	11.4	1,200	9.4
5/8	2,000	25.2	1,700	21.3	1,400	15.4	1,100	12.2	900	9.8
3/4	1,600	25.2	1,350	20.1	1,100	15.4	900	11.8	700	9.1
1	1,150	25.2	950	20.1	800	15.4	700	11.8	500	9.1

Slotting (Metric)

Hardness	-		<20 HRC		20-30 HRC		30-38 HRC		38-45 HRC	
Work Material	Cast Iron		Medium Steels Mild Steels		Alloy Steels Tool Steels Ti Alloys (Annealed)		Hardened Steels Pre-hardened Steels		Stainless Steels Hardened Steels	
Cutting Speed	335 SFM		230 SFM		295 SFM		217 SFM		177 SFM	
Depth of Cut	$da=0.75D$					$da=0.5D$				
Mill Dia.	Speed RPM	Feed in/min	Speed RPM	Feed in/min	Speed RPM	Feed in/min	Speed RPM	Feed in/min	Speed RPM	Feed in/min
6	5,400	25.5	3,700	17.5	4,800	15.3	3,480	10.9	2,880	9.0
8	4,100	25.5	2,800	17.5	3,600	17.2	2,640	12.3	2,160	10.4
10	3,300	25.5	2,200	17.5	2,900	18.3	2,100	13.2	1,740	10.9
12	2,700	25.5	1,900	17.5	2,400	18.9	1,740	13.7	1,440	11.3
16	2,000	25.5	1,400	17.5	1,800	20.0	1,320	14.6	1,080	11.8
20	1,600	25.5	1,100	16.4	1,450	20.0	1,080	14.2	840	10.9
25	1,300	25.5	900	23.5	1,150	18.1	840	13.0	680	9.8

ABOUT OSG

DRILLING

THREADING

MILLING

HOLDERS

INDEX

