




List 295

HY-PRO® AL-SFT



EDP Number	Thread Size	Thread Limit	Overall Length	Thread Length	Neck Length	Shank Diameter	Square Width	Square Length
			L (Inch)	Lc (Inch)	L1 (Inch)	d (Inch)	k (Inch)	lk (Inch)
2951300	● No. 4 - 40 UNC	H2	1.875	0.196	0.559	0.141	0.110	0.188
2951400	● No. 4 - 40 UNC	H3	1.875	0.196	0.559	0.141	0.110	0.188
2952500	● No. 6 - 32 UNC	H2	2.000	0.248	0.685	0.141	0.110	0.188
2952600	● No. 6 - 32 UNC	H3	2.000	0.248	0.685	0.141	0.110	0.188
2953100	● No. 8 - 32 UNC	H2	2.125	0.251	0.751	0.168	0.131	0.250
2953200	● No. 8 - 32 UNC	H3	2.125	0.251	0.751	0.168	0.131	0.250
2953800	● No. 10 - 24 UNC	H3	2.375	0.326	0.866	0.194	0.152	0.250
2954300	● No. 10 - 32 UNF	H2	2.375	0.326	0.866	0.194	0.152	0.250
2954400	● No. 10 - 32 UNF	H3	2.375	0.326	0.866	0.194	0.152	0.250
2954600	● No. 10 - 32 UNF	H5	2.375	0.326	0.866	0.194	0.152	0.250
2955000	● 1/4 - 20 UNC	H3	2.500	0.397	0.996	0.255	0.191	0.313
2955200	● 1/4 - 20 UNC	H5	2.500	0.397	0.996	0.255	0.191	0.313
2955600	● 1/4 - 28 UNF	H3	2.500	0.397	0.996	0.255	0.191	0.313
2956200	● 5/16 - 18 UNC	H3	2.719	0.444	1.125	0.318	0.238	0.375
2956400	● 5/16 - 18 UNC	H5	2.719	0.444	1.125	0.318	0.238	0.375
2956800	● 5/16 - 24 UNF	H3	2.719	0.444	1.125	0.318	0.238	0.375
2956900	● 5/16 - 24 UNF	H4	2.719	0.444	1.125	0.318	0.238	0.375
2957400	● 3/8 - 16 UNC	H3	2.938	0.500	1.251	0.381	0.286	0.438
2957600	● 3/8 - 16 UNC	H5	2.938	0.500	1.251	0.381	0.286	0.438
2958000	● 3/8 - 24 UNF	H3	2.938	0.500	1.251	0.381	0.286	0.438

● Stocked ○ Available Upon Request; MOQ May Apply ▲ Globally Stocked

Note: Other coatings are available upon request.



P					M			K	N		S	H						
Steel					Stainless Steel			Cast Iron	Non-Ferrous		HRSA		Hardened Steel					
Carbon Steel			Alloy Steel	Die Steel	Aluminum		Nickel Alloy		Titanium									
Low	Medium	High			6061	Casting				Inconel	6Al4V (30 HRC)	~35 HRC	35-45 HRC	45-50 HRC	50-70 HRC			
1010	1035	1045	1065	4140	4340	300	400	17-4 PH	6061	7075								
									○	○								
									40-80 SFM	40-65 SFM								

○ Good ○ Best

