





List 78PXD

OSG PHOENIX[®] PXD Exchangeable Heads

SPEED FEED		PACKED
361		1 PIECE



EDP Number	Specification	Designation	Head Size (D)			Head Size	Grade	
			Fractional Size	Metric	Inch			
7831140	●	PC	PXDH1400-PC	-	14.00	0.55118	1	XP3425
52401000	●	PC	PXDH5625-PC	9/16	14.29	0.56250	1	XP3425
7831145	●	PC	PXDH1450-PC	-	14.50	0.57087	2	XP3425
52401014	●	PC	PXDH5781-PC	37/64	14.68	0.57813	2	XP3425
7831351	●	PC	PXDH1495-PC	-	14.95	0.58858	2	XP3425
7831150	●	PC	PXDH1500-PC	-	15.00	0.59055	3	XP3425
52401001	●	PC	PXDH5938-PC	19/32	15.08	0.59375	3	XP3425
7831352	●	PC	PXDH1525-PC	-	15.25	0.60039	3	XP3425
52401015	●	PC	PXDH6094-PC	39/64	15.48	0.60938	3	XP3425
7831155	●	PC	PXDH1550-PC	-	15.50	0.61024	3	XP3425
52401002	●	PC	PXDH6250-PC	5/8	15.88	0.62500	3	XP3425
7831160	●	PC	PXDH1600-PC	-	16.00	0.62992	4	XP3425
52401016	●	PC	PXDH6406-PC	41/64	16.27	0.64063	4	XP3425
7831165	●	PC	PXDH1650-PC	-	16.50	0.64961	4	XP3425
52401003	●	PC	PXDH6563-PC	21/32	16.67	0.65625	4	XP3425
7831167	●	PC	PXDH1670-PC	-	16.70	0.65748	4	XP3425
7831170	●	PC	PXDH1700-PC	-	17.00	0.66929	5	XP3425
52401017	●	PC	PXDH6719-PC	43/64	17.07	0.67188	5	XP3425
7831353	●	PC	PXDH1725-PC	-	17.25	0.67913	5	XP3425
52401004	●	PC	PXDH6875-PC	11/16	17.46	0.68750	5	XP3425
7831175	●	PC	PXDH1750-PC	-	17.50	0.68898	5	XP3425
52401018	●	PC	PXDH7031-PC	45/64	17.86	0.70313	5	XP3425
7831180	●	PC	PXDH1800-PC	-	18.00	0.70866	6	XP3425
52401005	●	PC	PXDH7188-PC	23/32	18.26	0.71875	6	XP3425
7831185	●	PC	PXDH1850-PC	-	18.50	0.72835	6	XP3425
52401019	●	PC	PXDH7344-PC	47/64	18.65	0.73438	6	XP3425
7831187	●	PC	PXDH1870-PC	-	18.70	0.73622	6	XP3425
7831190	●	PC	PXDH1900-PC	-	19.00	0.74803	7	XP3425
52401006	●	PC	PXDH7500-PC	3/4	19.05	0.75000	7	XP3425
7831354	●	PC	PXDH1925-PC	-	19.25	0.75787	7	XP3425
52401020	●	PC	PXDH7656-PC	49/64	19.45	0.76563	7	XP3425
7831195	●	PC	PXDH1950-PC	-	19.50	0.76772	7	XP3425
52401007	●	PC	PXDH7813-PC	25/32	19.84	0.78125	7	XP3425
7831200	●	PC	PXDH2000-PC	-	20.00	0.78740	8	XP3425
52401021	●	PC	PXDH7969-PC	51/64	20.24	0.79688	8	XP3425
7831205	●	PC	PXDH2050-PC	-	20.50	0.80709	8	XP3425
52401008	●	PC	PXDH8125-PC	13/16	20.64	0.81250	8	XP3425
7831207	●	PC	PXDH2070-PC	-	20.70	0.81496	8	XP3425
7831210	●	PC	PXDH2100-PC	-	21.00	0.82677	9	XP3425
52401022	●	PC	PXDH8281-PC	53/64	21.03	0.82813	9	XP3425
7831355	●	PC	PXDH2125-PC	-	21.25	0.83661	9	XP3425
52401009	●	PC	PXDH8438-PC	27/32	21.43	0.84375	9	XP3425
7831215	●	PC	PXDH2150-PC	-	21.50	0.84646	9	XP3425
52401023	●	PC	PXDH8594-PC	55/64	21.83	0.85938	9	XP3425
7831220	●	PC	PXDH2200-PC	-	22.00	0.86614	10	XP3425
52401010	●	PC	PXDH8750-PC	7/8	22.23	0.87500	10	XP3425
7831224	●	PC	PXDH2240-PC	-	22.40	0.88189	10	XP3425
7831225	●	PC	PXDH2250-PC	-	22.50	0.88583	10	XP3425
52401024	●	PC	PXDH8906-PC	57/64	22.62	0.89063	10	XP3425
7831230	●	PC	PXDH2300-PC	-	23.00	0.90551	11	XP3425
52401011	●	PC	PXDH9063-PC	29/32	23.02	0.90625	11	XP3425
7831356	●	PC	PXDH2325-PC	-	23.25	0.91535	11	XP3425

● Stocked ○ Available Upon Request; MOQ May Apply ▲ Globally Stocked





List 78PXD (Continued)

OSG PHOENIX® PXD Exchangeable Heads

SPEED FEED		PACKED
361		1 PIECE

EDP Number	Specification	Designation	Head Size (D)			Head Size	Grade
			Fractional Size	Metric	Inch		
52401025	● PC	PXDH9219-PC	59/64	23.42	0.92188	11	XP3425
7831235	● PC	PXDH2350-PC	-	23.50	0.92520	11	XP3425
52401012	● PC	PXDH9375-PC	15/16	23.81	0.93750	11	XP3425
7831240	● PC	PXDH2400-PC	-	24.00	0.94488	12	XP3425
52401026	● PC	PXDH9531-PC	61/64	24.21	0.95313	12	XP3425
7831245	● PC	PXDH2450-PC	-	24.50	0.96457	12	XP3425
52401013	● PC	PXDH9688-PC	31/32	24.61	0.96875	12	XP3425
7831250	● PC	PXDH2500-PC	-	25.00	0.98425	13	XP3425
52401027	● PC	PXDH9844-PC	63/64	25.00	0.98438	13	XP3425
7831254	● PC	PXDH2540-PC	1	25.40	1.00000	13	XP3425

● Stocked ○ Available Upon Request; MOQ May Apply ▲ Globally Stocked



ABOUT OSG

DRILLING

THREADING

MILLING

HOLDERS

INDEX

DESIGNATION EXPLANATION

PXDH 1400-PC-XP3425



See Full Detail on Page 358-359

P			Alloy Steel	K	N		H	
Steel					Non-Ferrous			Hardened Steel
Carbon Steel		High			Aluminum			
Low	Medium			4140	Cast Iron	6061	Casting	~35 HRC
1010	1035	1065	4340	7075				
1018	1045							

○ Good ● Best






List 78PXD (Continued)

OSG PHOENIX® PXD Exchangeable Heads

SPEED FEED		PACKED
361		1 PIECE



EDP Number	Specification	Designation	Head Size (D)			Head Size	Grade	
			Fractional Size	Metric	Inch			
7831440	●	KC	PXDH1400-KC	-	14.00	0.55118	1	XP1425
52402000	●	KC	PXDH5625-KC	9/16	14.29	0.56250	1	XP1425
7831445	●	KC	PXDH1450-KC	-	14.50	0.57087	2	XP1425
52402014	●	KC	PXDH5781-KC	37/64	14.68	0.57813	2	XP1425
7831450	●	KC	PXDH1500-KC	-	15.00	0.59055	3	XP1425
52402001	●	KC	PXDH5938-KC	19/32	15.08	0.59375	3	XP1425
52402015	●	KC	PXDH6094-KC	39/64	15.48	0.60938	3	XP1425
7831455	●	KC	PXDH1550-KC	-	15.50	0.61024	3	XP1425
52402002	●	KC	PXDH6250-KC	5/8	15.88	0.62500	3	XP1425
7831460	●	KC	PXDH1600-KC	-	16.00	0.62992	4	XP1425
52402016	●	KC	PXDH6406-KC	41/64	16.27	0.64063	4	XP1425
7831465	●	KC	PXDH1650-KC	-	16.50	0.64961	4	XP1425
52402003	●	KC	PXDH6563-KC	21/32	16.67	0.65625	4	XP1425
7831467	●	KC	PXDH1670-KC	-	16.70	0.65748	4	XP1425
7831470	●	KC	PXDH1700-KC	-	17.00	0.66929	5	XP1425
52402017	●	KC	PXDH6719-KC	43/64	17.07	0.67188	5	XP1425
52402004	●	KC	PXDH6875-KC	11/16	17.46	0.68750	5	XP1425
7831475	●	KC	PXDH1750-KC	-	17.50	0.68898	5	XP1425
52402018	●	KC	PXDH7031-KC	45/64	17.86	0.70313	5	XP1425
7831480	●	KC	PXDH1800-KC	-	18.00	0.70866	6	XP1425
52402005	●	KC	PXDH7188-KC	23/32	18.26	0.71875	6	XP1425
7831485	●	KC	PXDH1850-KC	-	18.50	0.72835	6	XP1425
52402019	●	KC	PXDH7344-KC	47/64	18.65	0.73438	6	XP1425
7831487	●	KC	PXDH1870-KC	-	18.70	0.73622	6	XP1425
7831490	●	KC	PXDH1900-KC	-	19.00	0.74803	7	XP1425
52402006	●	KC	PXDH7500-KC	3/4	19.05	0.75000	7	XP1425
52402020	●	KC	PXDH7656-KC	49/64	19.45	0.76563	7	XP1425
7831495	●	KC	PXDH1950-KC	-	19.50	0.76772	7	XP1425
52402007	●	KC	PXDH7813-KC	25/32	19.84	0.78125	7	XP1425
7831500	●	KC	PXDH2000-KC	-	20.00	0.78740	8	XP1425
52402021	●	KC	PXDH7969-KC	51/64	20.24	0.79688	8	XP1425
7831505	●	KC	PXDH2050-KC	-	20.50	0.80709	8	XP1425
52402008	●	KC	PXDH8125-KC	13/16	20.64	0.81250	8	XP1425
7831507	●	KC	PXDH2070-KC	-	20.70	0.81496	8	XP1425
7831510	●	KC	PXDH2100-KC	-	21.00	0.82677	9	XP1425
52402022	●	KC	PXDH8281-KC	53/64	21.03	0.82813	9	XP1425
52402009	●	KC	PXDH8438-KC	27/32	21.43	0.84375	9	XP1425
7831515	●	KC	PXDH2150-KC	-	21.50	0.84646	9	XP1425
52402023	●	KC	PXDH8594-KC	55/64	21.83	0.85938	9	XP1425
7831520	●	KC	PXDH2200-KC	-	22.00	0.86614	10	XP1425
52402010	●	KC	PXDH8750-KC	7/8	22.23	0.87500	10	XP1425
7831524	●	KC	PXDH2240-KC	-	22.40	0.88189	10	XP1425
7831525	●	KC	PXDH2250-KC	-	22.50	0.88583	10	XP1425
52402024	●	KC	PXDH8906-KC	57/64	22.62	0.89063	10	XP1425
7831530	●	KC	PXDH2300-KC	-	23.00	0.90551	11	XP1425
52402011	●	KC	PXDH9063-KC	29/32	23.02	0.90625	11	XP1425
52402025	●	KC	PXDH9219-KC	59/64	23.42	0.92188	11	XP1425
7831535	●	KC	PXDH2350-KC	-	23.50	0.92520	11	XP1425
52402012	●	KC	PXDH9375-KC	15/16	23.81	0.93750	11	XP1425
7831540	●	KC	PXDH2400-KC	-	24.00	0.94488	12	XP1425
52402026	●	KC	PXDH9531-KC	61/64	24.21	0.95313	12	XP1425
7831545	●	KC	PXDH2450-KC	-	24.50	0.96457	12	XP1425

● Stocked ○ Available Upon Request; MOQ May Apply ▲ Globally Stocked





List 78PXD (Continued)

OSG PHOENIX® PXD Exchangeable Heads

SPEED FEED 361		PACKED 1 PIECE
--------------------------	--	--------------------------

EDP Number	Specification	Designation	Head Size (D)			Head Size	Grade
			Fractional Size	Metric	Inch		
52402013	● KC	PXDH9688-KC	31/32	24.61	0.96875	12	XP1425
7831550	● KC	PXDH2500-KC	-	25.00	0.98425	13	XP1425
52402027	● KC	PXDH9844-KC	63/64	25.00	0.98438	13	XP1425
7831554	● KC	PXDH2540-KC	1.00	25.40	1.00000	13	XP1425

● Stocked ○ Available Upon Request; MOQ May Apply ▲ Globally Stocked



ABOUT OSG

DRILLING

THREADING

MILLING

HOLDERS

INDEX

DESIGNATION EXPLANATION

PXDH 1400-PC-XP3425



See Full Detail on Page 358-359

P			Alloy Steel	K	N		H	
Steel					Non-Ferrous			Hardened Steel
Carbon Steel		High			Aluminum			
Low	Medium			4140	Cast Iron	6061	Casting	~35 HRC
1010	1035	1065	4340	7075				
○	○	○	○	◎			○	

○ Good ◎ Best






List 78PXD (Continued)

OSG PHOENIX[®] PXD Exchangeable Heads

SPEED FEED		PACKED
361		1 PIECE



EDP Number	Specification	Designation	Head Size (D)			Head Size	Grade	
			Fractional Size	Metric	Inch			
7831740	●	NC	PXDH1400-NC	-	14.00	0.55118	1	CF225
52403000	●	NC	PXDH5625-NC	9/16	14.29	0.56250	1	CF225
7831745	●	NC	PXDH1450-NC	-	14.50	0.57087	2	CF225
52403014	●	NC	PXDH5781-NC	37/64	14.68	0.57813	2	CF225
7831750	●	NC	PXDH1500-NC	-	15.00	0.59055	3	CF225
52403001	●	NC	PXDH5938-NC	19/32	15.08	0.59375	3	CF225
52403015	●	NC	PXDH6094-NC	39/64	15.48	0.60938	3	CF225
7831755	●	NC	PXDH1550-NC	-	15.50	0.61024	3	CF225
52403002	●	NC	PXDH6250-NC	5/8	15.88	0.62500	3	CF225
7831760	●	NC	PXDH1600-NC	-	16.00	0.62992	4	CF225
52403016	●	NC	PXDH6406-NC	41/64	16.27	0.64063	4	CF225
7831765	●	NC	PXDH1650-NC	-	16.50	0.64961	4	CF225
52403003	●	NC	PXDH6563-NC	21/32	16.67	0.65625	4	CF225
7831767	●	NC	PXDH1670-NC	-	16.70	0.65748	4	CF225
7831770	●	NC	PXDH1700-NC	-	17.00	0.66929	5	CF225
52403017	●	NC	PXDH6719-NC	43/64	17.07	0.67188	5	CF225
52403004	●	NC	PXDH6875-NC	11/16	17.46	0.68750	5	CF225
7831775	●	NC	PXDH1750-NC	-	17.50	0.68898	5	CF225
52403018	●	NC	PXDH7031-NC	45/64	17.86	0.70313	5	CF225
7831780	●	NC	PXDH1800-NC	-	18.00	0.70866	6	CF225
52403005	●	NC	PXDH7188-NC	23/32	18.26	0.71875	6	CF225
7831785	●	NC	PXDH1850-NC	-	18.50	0.72835	6	CF225
52403019	●	NC	PXDH7344-NC	47/64	18.65	0.73438	6	CF225
7831787	●	NC	PXDH1870-NC	-	18.70	0.73622	6	CF225
7831790	●	NC	PXDH1900-NC	-	19.00	0.74803	7	CF225
52403006	●	NC	PXDH7500-NC	3/4	19.05	0.75000	7	CF225
52403020	●	NC	PXDH7656-NC	49/64	19.45	0.76563	7	CF225
7831795	●	NC	PXDH1950-NC	-	19.50	0.76772	7	CF225
52403007	●	NC	PXDH7813-NC	25/32	19.84	0.78125	7	CF225
7831800	●	NC	PXDH2000-NC	-	20.00	0.78740	8	CF225
52403021	●	NC	PXDH7969-NC	51/64	20.24	0.79688	8	CF225
7831805	●	NC	PXDH2050-NC	-	20.50	0.80709	8	CF225
52403008	●	NC	PXDH8125-NC	13/16	20.64	0.81250	8	CF225
7831807	●	NC	PXDH2070-NC	-	20.70	0.81496	8	CF225
7831810	●	NC	PXDH2100-NC	-	21.00	0.82677	9	CF225
52403022	●	NC	PXDH8281-NC	53/64	21.03	0.82813	9	CF225
52403009	●	NC	PXDH8438-NC	27/32	21.43	0.84375	9	CF225
7831815	●	NC	PXDH2150-NC	-	21.50	0.84646	9	CF225
52403023	●	NC	PXDH8594-NC	55/64	21.83	0.85938	9	CF225
7831820	●	NC	PXDH2200-NC	-	22.00	0.86614	10	CF225
52403010	●	NC	PXDH8750-NC	7/8	22.23	0.87500	10	CF225
7831824	●	NC	PXDH2240-NC	-	22.40	0.88189	10	CF225
7831825	●	NC	PXDH2250-NC	-	22.50	0.88583	10	CF225
52403024	●	NC	PXDH8906-NC	57/64	22.62	0.89063	10	CF225
7831830	●	NC	PXDH2300-NC	-	23.00	0.90551	11	CF225
52403011	●	NC	PXDH9063-NC	29/32	23.02	0.90625	11	CF225
52403025	●	NC	PXDH9219-NC	59/64	23.42	0.92188	11	CF225
7831835	●	NC	PXDH2350-NC	-	23.50	0.92520	11	CF225
52403012	●	NC	PXDH9375-NC	15/16	23.81	0.93750	11	CF225
7831840	●	NC	PXDH2400-NC	-	24.00	0.94488	12	CF225
52403026	●	NC	PXDH9531-NC	61/64	24.21	0.95313	12	CF225
7831845	●	NC	PXDH2450-NC	-	24.50	0.96457	12	CF225

● Stocked ○ Available Upon Request; MOQ May Apply ▲ Globally Stocked





List 78PXD (Continued)

OSG PHOENIX® PXD Exchangeable Heads

SPEED FEED 361		PACKED 1 PIECE
--------------------------	--	--------------------------

EDP Number	Specification	Designation	Head Size (D)			Head Size	Grade
			Fractional Size	Metric	Inch		
52403013	● NC	PXDH9688-NC	31/32	24.61	0.96875	12	CF225
7831850	● NC	PXDH2500-NC	-	25.00	0.98425	13	CF225
52403027	● NC	PXDH9844-NC	63/64	25.00	0.98438	13	CF225
7831854	● NC	PXDH2540-NC	1.00	25.40	1.00000	13	CF225

● Stocked ○ Available Upon Request; MOQ May Apply ▲ Globally Stocked



ABOUT OSG

DRILLING

THREADING

MILLING

HOLDERS

INDEX

DESIGNATION EXPLANATION

PXDH 1400-PC-XP3425



See Full Detail on Page 358-359

P Steel			K Cast Iron	N Non-Ferrous		H Hardened Steel						
Carbon Steel		Alloy Steel		Aluminum		Copper Alloys						
Low	Medium			High	6061		7075					
1010	1035	1045	1065	4140	4340	6061	7075	Casting	○	○	○	~35 HRC
1018	1045	1065	4140	4340	6061	7075	Casting	○	○	○	~35 HRC	

○ Good ○ Best

